

ABC-Products		Furex ABC Spezial	Furex ABC 40	Furex 650	Furex ABC 70	Furex 770
Main component		ammonium phosphate	ammonium phosphate	ammonium phosphate	ammonium phosphate	ammonium phosphate
Share in ammonium phosphate	%	21,5 ± 1,5	40 ± 2,0	48 ± 2,0	70 ± 3,0	91 ± 3,0
Standard colour		off-white	off-white	off-white	off-white	off-white
Bulk density (acc. DIN)	g/100 ml	87 ± 5	87 ± 5	87 ± 5	87 ± 5	87 ± 5
Grain size distribution < 40 µ		44 ± 8	44 ± 8	44 ± 8	40 ± 8	40 ± 8
Flow behaviour (acc. TL 4210-0098)	g/sec.	65–85	65–85	65–85	65–85	65–85
Temperature resistant from to	°C	- 60	- 60	- 60	- 60	- 60
	°C	+ 85	+ 85	+ 85	+ 85	+ 85

BC-Products		Furex BCE 300		Furex BCE 80	Furex K	
Main component		sodium bicarbonate		sodium bicarbonate	potassium bicarbonate	
Share in efficient substance	ca. % %	67 ± 3,0		94 ± 3,0	90 ± 3,0	
Standard colour		white		white	light blue	
Bulk density (acc. DIN)	g/100 ml	> 95		> 95	> 80	
Grain size distribution < 63 µ	ca. %	85–95		85–95	75–95	
Flow behaviour (acc. TL 4210-0098)	g/sec.	> 70		> 70	> 70	
Temperature resistant from to	°C	- 60		- 60	- 60	
	°C	+ 55		+ 55	+ 65	